

# Bromine

## Water balance guidelines:

- Bromine 1.0-2.0
- Calcium hardness 200-400
- Alkalinity 100-150
- pH level 7.2-7.6

Keep pump and filter running 24hrs a day and seven days a week.

## Start-up

1. Balance Water
2. Add Start-up kit (Premix each chemical separately and add 15 minutes apart)
  - 2lbs Turbo Shock
  - 2 containers Algistat
  - 1 container Metal Control Agent
3. Add initial dosage of Clarifier
4. Add bromine tablets to the bromine feeder
5. Turn brominator on between 6 & 7 (Leave it on this level for 1-2 weeks)
  - Once you have a good stable bromine level adjust dial as needed.

## Weekly

1. Balance water
2. Shock Add Chemicals 15min apart
  - \*\*POOL SEASON (non-chlorine oxidizing shock)
  - 1lb per 10,000 gallons
3. Algaecide
  - \*\*POOL SEASON Algae Control 50
  - 2oz per 10,000 gallons
3. Clarifier
  - \*\*Natural Chemistry 'Clear'
  - 2oz. per 10,000 gallons

## Remember

- a. Keep tablets in brominator
  - check every 2-3 weeks
  - Fill as needed
- b. Test and balance your water twice a week
- c. Add shock, algaecide, and clarifier once a week

Monday	Tuesday	Wednesday	<u>Thursday</u>	Friday	Saturday	<u>Sunday</u>
			Test & Balance Water.		Enjoy the Pool!	Test & Balance Water. <ul style="list-style-type: none"> <li>◆ Shock</li> <li>◆ Algaecide</li> <li>◆ Clarifier</li> </ul>

# Bromine

## Water balance guidelines:

- Bromine 1.0-2.0
- Calcium hardness 200-400
- Alkalinity 100-150
- pH level 7.2-7.6

**Keep pump and filter running 24hrs a day and seven days a week.**

## Start-up

1. Balance Water
2. Add Start-up kit (Premix each chemical separately and add 15 minutes apart)
  - 2lbs Turbo Shock
  - 2 containers Algistat
  - 1 container Metal Control Agent
3. Add initial dosage of Clarifier
4. Add bromine tablets to the bromine feeder
5. Turn brominator on between 6 & 7 (Leave it on this level for 1-2 weeks)
  - Once you have a good stable bromine level adjust dial as needed.

## Weekly

1. Balance water
2. Shock Add Chemicals 15min apart
  - \*\*POOL SEASON (non-chlorine oxidizing shock)
  - 1lb per 10,000 gallons
3. Algaecide
  - \*\*POOL SEASON Algae Control 50
  - 2oz per 10,000 gallons
3. Clarifier
  - \*\*Natural Chemistry 'Clear'
  - 2oz. per 10,000 gallons

## Remember

- a. Keep tablets in brominator
  - check every 2-3 weeks
  - Fill as needed
- b. Test and balance your water twice a week
- c. Add shock, algaecide, and clarifier once a week

Monday	Tuesday	Wednesday	<u>Thursday</u>	Friday	Saturday	<u>Sunday</u>
			Test & Balance Water.		Enjoy the Pool!	Test & Balance Water. ♦ Shock ♦ Algaecide ♦ Clarifier