



@ease

IN-LINE SANITIZING SYSTEM



BUILT INTO SELECT HOT TUB MODELS

KILLS BACTERIA 2 WAYS

UP TO 75% LESS CHLORINE*

SHOCK ONLY ONCE A MONTH



Introducing

@ease

The easiest hot tub water care system.
It's so easy, you shock only once a month!

Your hot tub will always be ready to use with the unique properties
of Fresh Mineral Water^{®∞} and SmartChlor[®] Technology
that maintain crystal clear water — automatically!




Built directly into
hot tub's plumbing
for greater ease and
convenience


NO CONSTANT MONITORING • NO MIXING AND MEASURING CHEMICALS • OUT-OF-SIGHT



SET DIAL



SNAP CARTRIDGES
INTO HOLDER



REPLACE WHEN EMPTY

FOR HOT TUBS UP TO 600 GALLONS



Hot tub owners shouldn't have to be weekend chemists. So we created a fresh approach to clean water using proprietary Fresh Mineral Water[™] Technology. You'll find it in all of our FROG[®] products—and it offers these 4 advantages:



CLEANER because it kills bacteria 2 ways — with minerals and a low level of chlorine

Minerals help keep the pH balanced for **CLEARER** water that shines

Minerals condition the water for a **SOFTER** feel

Cartridges are prefilled for no mess, no guess, no stress, making maintenance **EASIER**



Up to **75% less chlorine*** with no frustrating "yo-yo" chlorine levels.



Shock only once a month.



Self-regulates for continuous crystal clear water.



Easy on hot tub surfaces with **less odors.**



Single color match for **easy reading** — exclusively with FROG[®] @ease[®] Test Strips.



No constant monitoring.



No mixing chemicals.



Money-back guarantee.

Mineral Cartridge lasts 4 months
SmartChlor Cartridge lasts up to 4 weeks

*Compared to the minimum ANSI recommended chlorine level of 2.0 ppm for a hot tub.
**For pools and hot tubs.



HOT TUB Quick Start-Up Tips

FROGPRODUCTS.COM | 800.222.0169

Download the **FREE** FROG Water Care® App



1

If previously using bromine or biguanides, or if the cyanuric acid level is above 80 ppm, drain, rinse and refill the hot tub. Otherwise proceed to Step 2.

2

Test the water with FROG® @ease® Test Strips and balance according to the Water Balance Guidelines.

Water Balance Guidelines

Total Alkalinity..... 80 - 120 ppm
pH..... 7.2 - 7.6
Total Hardness..... 150 - 250 ppm

Test Strips include an easy-to-read Out Indicator for SmartChlor®.



3

Shock the hot tub with FROG Jump Start® to achieve a start-up level of chlorine.



4

Adjust the blue FROG @ease Mineral Cartridge to Setting #6. Snap into the top section of the In-Line Holder.



Reduces chlorine use up to 75%*



5

Adjust the silver FROG @ease SmartChlor Cartridge per the Setting Chart.

FROG @ease Setting Chart	
Gallons	Setting #
200-250	1
251-300	2
301-450	3
451-600	4



6

Snap the FROG @ease SmartChlor Cartridge into the bottom opening of the holder. Insert holder into built-in system pushing down and turning to lock. Then replace the cap.



7

Test weekly with FROG @ease Test Strips. When the SmartChlor "Out Indicator," the top color block on the test strip, is lighter than the "Out Indicator" color block on the bottle, replace the silver SmartChlor Cartridge.



Please recycle, if possible.



8

Shock the hot tub with FROG Maintain® once a month, or when replacing your SmartChlor Cartridge.



*For pools, hot tubs and swim spas. *Compared to the minimum ANSI recommended chlorine level of 2.0 ppm for a hot tub.